

FIND & SEARCH — FFF.NVIM

<code>Spc</code>	<code>sf</code>	Find files
<code>Spc</code>	<code>sg</code>	Live grep
<code>Spc</code>	<code>sz</code>	Live grep — fuzzy + plain
<code>Spc</code>	<code>sw</code>	Grep word under cursor
<code>Spc</code>	<code>sr</code>	Project search & replace (grug-far)

MOVE — LEAP.NVIM

<code>s</code>	Leap forward — then 2 chars
<code>S</code>	Leap backward — then 2 chars
<code>gs</code>	Leap across windows — then 2 chars

YANK RING — YANKY.NVIM

<code>Spc</code>	<code>p</code>	Yank-history picker
<code>ly</code>	<code>ly</code>	Cycle ring after a paste
<code>gp</code>	<code>gP</code>	Put after / before selection
<code>lp</code>	<code>lP</code>	Put with the current indent

SURROUND — MINI.SURROUND (GZ)

<code>gza</code>	Add — then textobject + char	
<code>gzd</code>	Delete surrounding	
<code>gze</code>	Replace surrounding	
<code>gzf</code>	<code>gzF</code>	Find next / prev surrounding
<code>gzh</code>	Highlight surrounding	
<code>gzaiw</code>	Quote a word (example)	

FORMAT & LSP

<code>Spc</code>	<code>cf</code>	Format buffer (conform)
<code>Spc</code>	<code>cF</code>	Format injected languages
<code>Spc</code>	<code>cm</code>	Open Mason
<code>Spc</code>	<code>cr</code>	LSP rename symbol
<code>Spc</code>	<code>ca</code>	LSP code actions

CLAUDE — CLAUDECODE.NVIM

<code>Spc</code>	<code>ac</code>	Toggle Claude terminal		
<code>Spc</code>	<code>af</code>	Focus Claude		
<code>Spc</code>	<code>ar</code>	<code>Spc</code>	<code>aC</code>	Resume / continue session
<code>Spc</code>	<code>ab</code>	Add current buffer to context		
<code>Spc</code>	<code>as</code>	Send selection / add file		
<code>Spc</code>	<code>aa</code>	<code>Spc</code>	<code>ad</code>	Accept / deny diff

GIT & UTILITY — SNACKS.NVIM

<code>Spc</code>	<code>gg</code>	Lazygit (root) — gG for cwd		
<code>Spc</code>	<code>gb</code>	Git blame line		
<code>Spc</code>	<code>gB</code>	Open line in browser		
<code>Spc</code>	<code>.</code>	<code>Spc</code>	<code>S</code>	Toggle / select scratch buffer
<code>Spc</code>	<code>n</code>	<code>Spc</code>	<code>un</code>	Notifications: history / dismiss all
<code>Ctrl</code>	<code>/</code>	Toggle terminal		
<code>Spc</code>	<code>cR</code>	Rename file (updates imports)		

NOTES — OBSIDIAN / DOTMD

<code>:Obsidian</code>	<code>today</code>	Daily note (tomorrow / yesterday)		
<code>:Obsidian</code>	<code>new</code>	New note		
<code>:Obsidian</code>	<code>search</code>	Grep / quick-switch notes		
<code>:Obsidian</code>	<code>backlinks</code>	Find references / tags		
<code>Spc</code>	<code>zc</code>	<code>Spc</code>	<code>zt</code>	dotmd note / today's todo
<code>Spc</code>	<code>zj</code>	<code>Spc</code>	<code>zi</code>	dotmd journal / inbox
<code>Spc</code>	<code>zs</code>	dotmd search notes		

SESSIONS, NUMBERS & PROSE

<code>Spc</code>	<code>qs</code>	Restore this dir's session		
<code>Spc</code>	<code>qL</code>	Restore the last session		
<code>Spc</code>	<code>qS</code>	<code>Spc</code>	<code>qd</code>	Pick / stop session
<code>Ctrl</code>	<code>+a</code>	<code>Ctrl</code>	<code>+x</code>	Increment / decrement (dial)
<code>Spc</code>	<code>um</code>	Toggle markdown render		
<code>Spc</code>	<code>cp</code>	Browser markdown preview		

TIPS & COMBOS

<code>Spc</code>	...then wait — which-key shows follow-ups		
<code>ciw</code>	<code>cif</code>	mini.ai: change inside word / function	
<code>daa</code>	<code>vai</code>	mini.ai: delete an arg / select indent	
<code>g</code>	<code>Ctrl</code>	<code>+a</code>	Visual: make a column count 1, 2, 3...
<code>gzaiwt</code>	Wrap word in an HTML tag (then type it)		
<code>gzaiwf</code>	Wrap word in a function call		
<code>:PencilToggle</code>	Soft-wrap prose mode		

LATEX — VIMTEX (LOCALLEADER \)

<code>\ll</code>	Start / stop compilation	
<code>\lv</code>	Forward-search to PDF viewer	
<code>\lt</code>	<code>\le</code>	Table of contents / errors
<code>\lc</code>	Clean aux files	
<code>Spc</code>	<code>K</code>	Package docs under cursor