

CUSTOM BINDINGS

<code>Alt</code> + <code>y</code>	Open the yazi file manager
<code>Ctrl</code> + <code>t</code>	Insert file path(s) (fzf)
<code>Ctrl</code> + <code>Alt</code> + <code>d</code>	Insert a directory path (fzf)
<code>Ctrl</code> + <code>Alt</code> + <code>g</code>	Insert pacman package(s) (fzf)
<code>Ctrl</code> + <code>Alt</code> + <code>l</code>	Insert a commit SHA (fzf)
<code>Ctrl</code> + <code>Alt</code> + <code>s</code>	Insert changed file path(s) (fzf)
<code>Ctrl</code> + <code>Alt</code> + <code>p</code>	Insert a PID (fzf)
<code>Ctrl</code> + <code>v</code>	Insert a shell variable name (fzf)
<code>Ctrl</code> + <code>h</code>	Delete the word left of the cursor
<code>Ctrl</code> + <code>e</code>	Neovim config picker (default / nvim-lazy / nvim-full)

HISTORY — ATUIN

<code>Ctrl</code> + <code>r</code>	Search history (atuin)
<code>?</code>	Ask atuin AI (empty prompt)

THEFUCK — FIX THE LAST COMMAND

<code>Esc</code> <code>Esc</code> <code>Ctrl</code> + <code>f</code>	Correct the previous command
<code>fuck</code>	Same, typed out

FISH BUILT-INS WORTH REMEMBERING

<code>Alt</code> + <code>e</code>	Edit command line in \$EDITOR
<code>Alt</code> + <code>s</code>	Prepend sudo / doas to (last) command
<code>Alt</code> + <code>b</code>	Previous dir (prevd) on empty line
<code>Alt</code> + <code>↑</code> <code>Alt</code> + <code>↓</code>	History search by cursor token
<code>Alt</code> + <code>l</code>	List directory of cursor token
<code>Alt</code> + <code>p</code>	Append '& less' (paginate)
<code>Alt</code> + <code>h</code> <code>F1</code>	Man page for cursor command
<code>Alt</code> + <code>w</code>	One-line description of command
<code>Ctrl</code> + <code>w</code>	Delete path component left
<code>Ctrl</code> + <code>z</code>	Undo edit

HANDY ABBREVIATIONS & FUNCTIONS

<code>mux</code> <code>mux1</code>	Open/attach tmux session 0 / 1
<code>nvims</code> <code>nv</code> <code>lvi</code>	Pick / light / lazy neovim config
<code>z</code> <code>zi</code>	zoxide jump / interactive
<code>b</code>	Back to previous dir + list
<code>mcd</code>	mkdir -p + cd
<code>cpv</code>	Copy with progress (rsync)